

## MEETING ROOM (KEMENTERIAN PERTANIAN - JAKARTA)



## AUDITORIUM (KEMENTERIAN PERTANIAN - JAKARTA)



## TELEMEDECINE



## TELEMEDECINE



# CKM

PT. CEFAYU KARYA MANDIRI

### PT. CEFAYU KARYA MANDIRI

Rukan Exclusive Radin Inten Kav.18  
Jl. Radin Inten II No.80 Duren Sawit  
Jakarta Timur

Telp. : (021) 22321146  
Hp. : 08129722893  
0896 7749 8924 (WA)  
E-mail : [wlolopadang@yahoo.com](mailto:wlolopadang@yahoo.com)

## DET INDOOR AND OUTDOOR LED PRODUCTS

### OUTDOOR LED PRODUCTS

#### OUTDOOR SMD TYPE



#### OUTDOOR DIP TYPE



#### OUTDOOR MESH TYPE



#### OUTDOOR LED DISPLAY PRODUCTS

##### DESCRIPTION :

SMD, DIP OR MESH TYPE OUTDOOR LED PRODUCTS RANGING FROM 5MM ~ 25MM  
PRODUCT DETAILS



## SMART MEETING ROOM

BNI SYARIAH ( GD TEMPO - JAKARTA )



## PEMADAM KEBAKARAN SUKU DINAS ( AREA JAKARTA )



DET INDOOR AND OUTDOOR LED PRODUCTS

OUTDOOR LED PRODUCTS

OUTDOOR SMD TYPE

OUTDOOR DIP TYPE

OUTDOOR MESH TYPE

OUTDOOR SMD, DIP OR MESH TYPE LED





# KEMDIKNAS SITUATION ROOM JAKARTA

DET Multiple Plasma Video Displays Panels (MPDP) are precise and professional video displays that reproduce cris and clear images. DET products are deployed in various environments such as Control Rooms, Retail Outlets, Government Buildings, Airports, Commercial Malls, and many more demanding environments. The competitively priced DET industrial grade display solutions outperforms all the other competition flawlessly and efficiently.



NON STACKABLE



WallControl™



1,000,000:1

CONTRAST RATIO



<1mm  
Ultra Slim Bezel



6 YEARS  
LIFETIME




## DET 60-INCH PLASMA MULTIPLE DISPLAY VIDEO WALL SOLUTIONS



NON STACKABLE



WallControl™



1,000,000:1

CONTRAST RATIO



HDBT

6 YEARS  
LIFETIME

PRODUCT SPECIFICATIONS : ULTRA PERFORMANCE ULTRA SLIM BEZEL DH-6022P SERIES

# VIDEO CONFERENCE SOLUTION OVERVIEW



# AVer™



EVC 130 / 130P



EVC 300

4 POINT



EVC 900

10 POINT




## SmartFilm HD



### BUILDING & OFFICE


- SmartFilm HD can be used in a conference and meeting room
- SmartFilm HD can be controlled by integrated control system
- SmartFilm HD can be used for projector screen (rear projector)

### MEETING ROOM



## SMARTFILM HD TECHNOLOGY

How does SmartFilm HD technology work? When the electrical supply is switched on, the liquid crystal molecules align and incident light passes through and the SmartFilm HD panel instantly clears. When the power is switched off the liquid crystal molecules are randomly oriented scattering light and SmartFilm HD panel becomes opaque.



### SmartFilm HD on business and residential application

SmartFilm HD is easy to apply and existing glasses. The following is the application of SmartFilm HD

#### Interior Application :

1. Living Room
2. Shower Room
3. Terrace Windows

#### Building and Office :

1. Meeting Room
2. Conference Room
3. Director Room
4. Staff Room
5. Hotel

#### Shop and Showroom :

1. Boutique
2. Art Gallery



SMBS



EXECUTIVE OFFICES



SCHOOLS & UNIVERSITIES



HOSPITALS



# AUDIO CONFERENCE


Communications System CSS 1000 D Control Units

## CSS 1000 D Control Units

[www.boschsecurity.com](http://www.boschsecurity.com)



- Plug-and-play functionality for quick and easy connection of up to 80 Discussion Devices
- Intuitive web browser control for advanced configuration and control
- Built-in MP3 recorder with internal memory and USB recording
- Built-in Digital Acoustic Feedback Suppression (DAFS) for ensuring superior speech intelligibility
- Native support for automatic HD camera control
- Unique patent pending possible-to-speak indicator
- Plug and play functionality for ensuring fast installation and reconfiguration times
- Compact, attractive ergonomic design
- Easily configured as a participant device or chairperson's device
- Immunity to mobile phone interference



HD ONVIF

Video HD Conference Dom

## HD Conference Dom

[www.boschsecurity.com](http://www.boschsecurity.com)



- HD 1080p and 720p resolutions
- 160x zoom (10x optical, 16x digital)
- Industry standard HD-SDI output
- Control and configuration via Ethernet
- Screen line option for displaying delegate names up to 16 characters




**GN**  
2.6/3.1/3.9/4.8/5.9

**SERIES**

- ULTRA HD LED DISPLAY
- FULL FRONT SERVICED
- TWO CABINETS SIZE OPTIONS
- FRONT INSTALLATION
- UNIFIED MODULES
- ALUMINIUM CABINET

**SPECIFICATIONS**



**1. Full Front Serviced**

Front maintenance, no maintenance path needed each module is equipped with magnet cylinders, which connect the module the pond structure.



**2. Unified Modules Design Platform**

GN series with module size of 250x250mm provides magnet module assembling method for front and rear access.



**PACKAGING**



**DATA LITE**



**STACKING ACCESSORIES**



**AVer™**  
**USB PTZ CAM**

**QUALITY AND FEATURES**

**12X OPTICAL ZOOM WITH PTZ**

With one of the fastest and smoothest true 12X optical zoom cameras available on the market today, the VC520'S multi-element, multi-coating auto-focus optics and 12X true optical zoom deliver rapid and smooth pan, tilt and zoom-in performance to capture the smallest details with absolute clarity at every focal length.



**FULL 1080P HIGH DEFINITION VIDEO**

With Full 1080p High Definition Video built into the CV520, you will enjoy the highest resolution available for you video conferencing and video collaboration calls.



**DAISY-CHAIN SPEAKERPHONE SYSTEM**

The days of having to crowd around a single speakerphone are now over! The VC520 includes a full duplex, echo cancelling and noise suppression speakerphone with the ability to daisy-chain and additional speakerphone. Each speakerphone can cover a 30ft diameter. With duplex, you will no longer get cut off in mid-sentence, talked over or miss critical details of the conversation.

